

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING **ERROR REPORT**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/560,956
Source: ITF
Date Processed by STIC: 8/28/06

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE **CHECKER VERSION 4.4.0 PROGRAM**, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>


Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWO

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/560,956

DATE: 08/28/2006

TIME: 09:25:04

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\08282006\J560956.raw

3 <110> APPLICANT: Lockyer, Peter
 5 <120> TITLE OF INVENTION: Methods for identifying compounds interacting with small
 membrane-bound
 6 GTP-ases
 8 <130> FILE REFERENCE: MKC-008
 10 <140> CURRENT APPLICATION NUMBER: 10/560,956
 11 <141> CURRENT FILING DATE: 2005-12-15
 13 <150> PRIOR APPLICATION NUMBER: GB0314980.4
 14 <151> PRIOR FILING DATE: 2003-06-26
 16 <160> NUMBER OF SEQ ID NOS: 17
 18 <170> SOFTWARE: PatentIn version 3.3

Does Not Comply
 Corrected Diskette Needed
 (Pg.1)

ERRORED SEQUENCES

287 <210> SEQ ID NO: 17
 288 <211> LENGTH: 36 Found 32
 289 <212> TYPE: PRT
 290 <213> ORGANISM: Artificial
 292 <220> FEATURE:
 293 <223> OTHER INFORMATION: GAP1^m segment sequence alignment
 295 <400> SEQUENCE: 17
 297 Phe Gln Val Glu Glu Glu Asp Ile Glu Lys Leu Glu Ile Arg Ile Asp
 298 1 5 10 15
 301 Leu Trp Asn Asn Gly Asn Leu Val Gln Asp Val Phe Leu Gly Glu Ile
 E--> 302 20 25 30

What is
 the source
 of genetic
 material?
 ==

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/560,956

DATE: 08/28/2006
TIME: 09:25:05

Input Set : A:\PTO.RJ.txt
Output Set: N:\CRF4\08282006\J560956.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:13,14,15,16,17

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/560,956

DATE: 08/28/2006

TIME: 09:25:05

Input Set : A:\PTO.RJ.txt

Output Set: N:\CRF4\08282006\J560956.raw

L:302 M:252 E: No. of Seq. differs, <211> LENGTH:Input:36 Found:32 SEQ:17
